

UVTRON® DRIVING CIRCUIT C10423 SERIES

Compact, Lightweight, Low Current Consumption
Operates as High-sensitivity UV Sensor Just by Connecting to a UVTRON R9454
Ideal for Fire and Arson Surveillance

FEATURES

The C10423 series is compact power supply and signal processing circuit developed to drive the high-sensitivity UV sensor "UVTRON R9454". By using a double-sided printed circuit board we cut the area size to half that of conventional drive circuits.

Since the high-voltage supply and signal processor are mounted on the same circuit board, the C10423 can be operated as a high-sensitivity UV sensor just by connecting a UVTRON and supplying a low DC voltage.

The signal processing circuit cancels out background discharges which may occur in the UVTRON due to natural excitation light (cosmic rays, solar UV rays, etc.). This minimizes erroneous detection so the C10423 output signal can be used without additional filtering.

Combining the C10423 with a high-sensitivity "UVTRON R9454" (sold separately) for use as a flame detector yields sensitivity capable of detecting the flame from a cigarette lighter (flame length 25 mm) even at distances up to 5 meters away.



Figure 1: DIMENSIONAL OUTLINE (Unit: mm)

APPLICATIONS


- •Flame detectors for gas and oil lighters
- Fire alarms
- Arson watch monitor
- Combustion monitors for burners
- •Electric spark detector

SPECIFICATIONS

Parameter		Description / Value	Unit
Output Signal		Open Collector Output	
		(50 V, 80 mA Max.)	_
		10 ms with pulse output ^(A)	
UVTRON Supply Voltage		400 [®]	V
Quenching Time		Approx. 25	ms
Suitable UVTRON		R9454 (sold separately)	_
Operating Ambient Temperature ©		-10 to +50	°C
Input Voltage (DC)	C10423	12 to 24	\
	C10423-01	5 ± 0.25	
Current Consumption	C10423	4	mA
(Max.)	C10423-01	0.3	
Weight		Approx. 12	g

NOTE: A The output pulse width can be extended up to about 10 s by adding a capacitor to the circuit board.

©No condensation



Subject to local technical requirements and regulations, availability of products included in this promotional material may vary. Please consult with our sales office.

BSince the output impedance of this power supply is extremely high, an ordinary voltmeter cannot be used. Use a voltmeter that has an input impedance of more than 10 $G\Omega$.

Information furnished by HAMAMATSU is believed to be reliable. However, no responsibility is assumed for possible inaccuracies or omissions. Specifications are subject to change without notice. No patent rights are granted to any of the circuits described herein. ©2013 Hamamatsu Photonics K.K.

UVTRON® DRIVING CIRCUIT C10423 SERIES





Figure 2: Method of Connection



NOTE: DThe recommended rating of the open-collector transistor is 50 V / 80 mA. The maximum rating of the open-collector transistor is 50 V / 100 mA. When the circuit is connected to a relay or buzzer, use caution not to exceed this rating.

©The C10423 output pulse width is set to 10 ms before shipment. To expand the pulse width, connect a capacitor to this

terminal. (Make sure the polarity is correct when using an electrolytic capacitor.) Example: $CX = 1 \mu F$, Pulse width = Approx. 1 s

CX = 10 μ F, Pulse width = Approx. 10 s * C10423-01 does not read out "OPEN COLLECTOR OUTPUT (2)".

TPT C0020FB

TPT C0019FA

PRECAUTIONS FOR USE

- •Since the operation impedance is extremely high, the UVTRON should be connected as close as possible to the circuit board within 5 cm.
- ◆Take care to avoid external noise since a C-MOS IC is used in the circuit. It is recommended that the whole PC board be put in the shield box when it is used.
- The DC-DC converter type high-voltage supply for this unit has a very high impedance. If the ambient humidity is high, then electrical leakage on the printed circuit board surface might lead to a drop in the supply voltage to the UVTRON. This voltage drop might cause lower sensitivity or malfunctions. If using the unit in a high humid environment apply a silicon-based moisture-proof coating to the UVTRON connection terminals.

HAMAMATSU PHOTONICS K.K. www.hamamatsu.com

HAMAMATSU PHOTONICS K.K., Electron Tube Division

314-5, Shimokanzo, Iwata City, Shizuoka Pref., 438-0193, Japan, Telephone: (81)539/62-5248, Fax: (81)539/62-2205

U.S.A.: Hamamatsu Corporation: 360 Foothill Road, P. O. Box 6910, Bridgewater. N.J. 08807-0910, U.S.A., Telephone: (1)908-231-0960, Fax: (1)908-231-1218 E-mail: usa@hamamatsu.com
Germany: Hamamatsu Photonics Deutschland GmbH: Arzbergerstr. 10, D-82211 Herrsching am Ammersee, Germany, Telephone: (49)8152-375-0, Fax: (49)8152-2658 E-mail: info@hamamatsu.de
France: Hamamatsu Photonics France S.A.R.L.: 19, Rue du Saule Trapu, Parc du Moulin de Massy, 91882 Massy Cedex, France, Telephone: (33)1 69 53 71 10 E-mail: info@hamamatsu.fr
United Kingdom: Hamamatsu Photonics UK Limited: 2 Howard Court, 10 Tewin Road Welwyn Garden City Hertfordshire AL7 1BW, United Kingdom, Telephone: 44-(0)1707-29488, Fax: 44(0)1707-325777 E-mail: info@hamamatsu.co.uk
North Europe: Hamamatsu Photonics Norden AB: Thorshamnsgatan 35 SE-164 40 Kista, Sweden, Telephone: (46)8-509-031-00, Fax: (46)8-509-031-01 E-mail: info@hamamatsu.se

TPT 1023E03
China: Hamamatsu Photonics (China) Co., Ltd.: 1201 Tower B, Jiaming Center, 27 Dongsanhuan Road North, Chaoyang District, Beijing 100020, China, Telephone: (86)10-6586-2066 E-mail: hpc@hamamatsu.co.m.n