


NDP.view2 Plus

Image viewing software U12388-02



VIEW freely

Hamamatsu Photonics has considered the importance of "viewing" itself and developed the image viewing software which plays an integral role in whole slide imaging filed.

Functions for much more ease of practical use and convenience.



NDP.view2 Plus


Incorporated the unique features following the customer requests for the additional functions.

1 Supporting Non-Hamamatsu WSI format images




Allows handling the WSI formats created by other manufacturer's scanners. (supported file extensions: svx, scn, czi, mrxs)

2 Counting by mouse clicking



Allows counting the numbers of certain field defined by annotation, which results can be saved as csv files.

5 Review mode



:Annotation

Allows automatic image review within the specified annotated area by the requested condition beforehand.

6 Case VIEW



Allows displaying and observing multiple samples at the same time on a screen, which saves the time for switching slides.


Hamamatsu Photonics offers the optional NDP.view2 Plus for more practical observation in addition to NDP.view2 image viewing software suitable for basic WSI observation. NDP.view2 Plus is the software developed based on customer demands for highly convenient functions that match their observation goals and we look forward to adding more functions in the future.

3 Track map export




Allows easy tracing of the observed areas on the track map. Magnification conditions during observation are identified with colors and can be exported.

4 Report export




Allows adding texts on the annotation, which can be exported as a report with PDF. This is an extremely useful function in managing observation records.

7 TMA code records



Allows quick switching of the core images from one to another by positioning them manually in the TMA beforehand and moreover, recording the position and code information for each of them is available, which can be exported as a csv file.

8 LUT control



Allows controlling the Look Up Tables (LUT) by easy adjustment of the import and export light intensity and control of the histogram and line profile.

Two type of "NDP.view2"

Hamamatsu Photonics offers two image viewing software products: NDP.view2, which offers ample software viewing functions for basic observations, and the NDP.view2 Plus for more practical observations.

Standard



NDP.view2

Download the software from our website for free.

Search for

Photonics Viewer



www.hamamatsu.com/all/en/U12388-01.html

Option



NDP.view2 Plus

With more practical image viewing functions!

Expanded functions



	NDP.view2 U12388-01	NDP.view2 Plus U12388-02
Basic operations		
Zoom in and out	<input type="radio"/>	<input type="radio"/>
Scrolling	<input type="radio"/>	<input type="radio"/>
Image rotation	<input type="radio"/>	<input type="radio"/>
Image export	<input type="radio"/>	<input type="radio"/>
Effective functions for slide observation		
Image control	<input type="radio"/>	<input type="radio"/>
Thumbnails	<input type="radio"/>	<input type="radio"/>
Multi View	<input type="radio"/>	<input type="radio"/>
Annotation	<input type="radio"/>	<input type="radio"/>
Stepless zoom	<input type="radio"/>	<input type="radio"/>
Functions necessary for specific observation and analysis		
Non-Hamamatsu format support	—	<input type="radio"/>
Counting	—	<input type="radio"/>
Track map export	—	<input type="radio"/>
Report export	—	<input type="radio"/>
Review mode	—	<input type="radio"/>
Case view	—	<input type="radio"/>
TMA code record	—	<input type="radio"/>
Magnifier	—	<input type="radio"/>
Grid overlay	—	<input type="radio"/>
Effective functions for fluorescent image observation (for NanoZoomer-XR & S60)		
Color selection for fluo	<input type="radio"/>	<input type="radio"/>
Line profile, Histogram	—	<input type="radio"/>
LUT control	—	<input type="radio"/>

* In EU, five types of NanoZoomer(NanoZoomer-XR,NanoZoomer-SQ,NanoZoomer S210, NanoZoomer S60,NanoZoomer S360), NDP.view2(U12388-21), NDP.view2 Plus(U12388-22) and NDP.serve3 software are CE marked under EU's In Vitro Diagnostics Directive(IVDD) for in Vitro diagnostic use.

In China, five types of NanoZoomer(NanoZoomer2.0-HT, NanoZoomer2.0-RS, NanoZoomer-XR, NanoZoomer-SQ,NanoZoomer S210) are registered for in vitro diagnostic use. In the US, Japan and other countries, NanoZoomer is for research use only and is not permitted to use for clinical diagnostic purposes.

★ NanoZoomer or NDP is a registered trademark of Hamamatsu Photonics K.K. (EU, Japan, U.S.A)

★ Product and software package names noted in this documentation are trademarks or registered trademarks of their respective manufacturers.

★ Subject to local technical requirements and regulations. Availability of products included in this promotional material may vary. Please consult with your local sales representative.

• Information furnished by HAMAMATSU is believed to be reliable. However, no responsibility is assumed for possible inaccuracies or omissions.

• Specifications and external appearance are subject to change without notice.

© 2018 Hamamatsu Photonics K.K.

HAMAMATSU PHOTONICS K.K. www.hamamatsu.com

HAMAMATSU PHOTONICS K.K., Systems Division

812 Joko-cho, Higashi-ku, Hamamatsu City, 431-3196, Japan, Telephone: (81)53-431-0124, Fax: (81)53-433-8031, E-mail: export@sys.hpk.co.jp

U.S.A.: Hamamatsu Corporation: 360 Foothill Road, Bridgewater, NJ 08807, U.S.A., Telephone: (1)908-231-0960, Fax: (1)908-231-1218 E-mail: usa@hamamatsu.com

Germany: Hamamatsu Photonics Deutschland GmbH: Arzbergerstr. 10, D-82211 Herrsching am Ammersee, Germany, Telephone: (49)8152-375-0, Fax: (49)8152-265-8 E-mail: info@hamamatsu.de

France: Hamamatsu Photonics France S.A.R.L.: 19, Rue du Saule Trapu, Parc du Moulin de Massy, 91882 Massy Cedex, France, Telephone: (33)1 69 53 71 00, Fax: (33)1 69 53 71 10 E-mail: infos@hamamatsu.fr

United Kingdom: Hamamatsu Photonics UK Limited: 2 Howard Court, 10 Tewin Road, Welwyn Garden City, Hertfordshire AL7 1BW, UK, Telephone: (44)1707-294888, Fax: (44)1707-325777 E-mail: info@hamamatsu.co.uk

North Europe: Hamamatsu Photonics Norden AB: Torshamnsgatan 35 16440 Kista, Sweden, Telephone: (46)8-509 031 00, Fax: (46)8-509 031 01 E-mail: info@hamamatsu.se

Italy: Hamamatsu Photonics Italia S.r.l.: Strada della Moia, 1 int. 6, 20020 Arese (Milano), Italy, Telephone: (39)02-93 58 17 33, Fax: (39)02-93 58 17 41 E-mail: info@hamamatsu.it

China: Hamamatsu Photonics (China) Co., Ltd.: 1201 Tower B, Jiaming Center, 27 Dongsanhuan Beilu, Chaoyang District, 100020 Beijing, China, Telephone: (86)10-6586-6006, Fax: (86)10-6586-2866 E-mail: hpc@hamamatsu.com.cn

Taiwan: Hamamatsu Photonics Taiwan Co., Ltd.: 8F-3, No.158, Section2, Gongdao 5th Road, East District, Hsinchu, 300, Taiwan R.O.C. Telephone: (886)03-659-0080, Fax: (886)03-659-0081 E-mail: info@hamamatsu.com.tw

Cat. No. SBIS0119E01
APR/2018 CR
Created in Japan